

■ 2nd Congress of Asia-Pacific Society of Thyroid Surgery

Oral Presentation

| No. | Paper ID | Primary Author | Affiliation | Country | Abstract title |
|-----|----------|--------------------------|--|-------------|---|
| 1 | 20001 | Lei Xie | Dept. of Head & Neck Surgery, Sir Run Run Shaw Hospital, Medical school of Zhejiang University | China | A new surgical concept of in situ preservation of the inferior parathyroid gland during central neck dissection for papillary thyroid carcinoma |
| 2 | 20002 | Reinzi S Bautista | Philippine General Hospital | Philippines | Tumoral Calcinosis in Secondary Hyperparathyroidism |
| 3 | 20003 | Chuanming Zheng | Department of head and neck oncology surgery, ZheJiang Cancer Hospital, HangZhou, China | China | Iodine excess area is a risk factor of NIS promoter methylation that associate with papillary thyroid carcinoma progression: An age-gender-stage-matched case control study |
| 4 | 20004 | Narin Ratanaprasert | Siriraj Hospital Mahidol University | Thailand | The reference range of intraoperative needle aspiration parathyroid hormone for diagnosis of hyper functioning parathyroid glands and localization of parathyroid tissue |
| 5 | 20005 | Li-Jen Liao | Department of Otolaryngology, Far Eastern Memorial Hospital, Taipei, Taiwan | Taiwan | Assessment of the Pain Score and Specimen Adequacy for Ultrasound-guided Fine-needle Aspiration Biopsy of Thyroid Nodules |
| 6 | 20007 | Jianbiao Wang | Department of Head and Neck Surgery, Institute of Micro-Invasive Surgery of Zhejiang University, Sir Run Run Shaw Hospital, Zhejiang University School of Medicine | China | Risk factors for non-small-volume central lymph node metastases (more than five or larger than 2mm) in clinically node-negative papillary thyroid carcinoma |
| 7 | 20008 | Joon-Hyop Lee | Gachon University, Gil Medical Center | Korea | The relationship between iodine levels and papillary thyroid carcinoma: A systematic review and meta-analysis |
| 8 | 20009 | YoungJun Chai | Seoul National University Boramae Medical Center | Korea | Transoral Endoscopic Thyroidectomy for Papillary Thyroid Microcarcinoma: Initial Experience of A Single Surgeon |
| 9 | 20010 | hau xuan nguyen | Hanoi Medical University Hospital | Viet Nam | Role of sentinel lymph node biopsy in thyroid carcinoma in Vietnam |
| 10 | 20011 | Feng-Yu Chiang | Department of Otolaryngology - Head and Neck Surgery, Kaohsiung Medical University | Taiwan | Trans-cartilaginous recording method of intraoperative neuromonitoring of RLN in thyroid surgery |
| 11 | 20013 | ChangMyeon Song | Department of Otolaryngology-Head and Neck Surgery, Hanyang University, College of Medicine | Korea | Factors Affecting Operative Time in Robotic Thyroidectomy |
| 12 | 20017 | Jonghyun LIM | Hanyang University, College of Medicine | Korea | Significance of prophylactic central neck dissection in patients with papillary thyroid carcinoma who undergo hemithyroidectomy: Propensity score matching analysis |
| 13 | 20018 | Norihiko Narita | Dept. of Otorhinolaryngology, Head and Neck Surgery, Faculty of Medical Sciences, Univ. of Fukui | Japan | Clinical analysis of fine-needle aspiration biopsy (FNA) in thyroid tumors |
| 14 | 20021 | ChangMyeon Song | Hanyang University, College of Medicine | Korea | The role of hemithyroidectomy for papillary thyroid carcinoma with minimal extrathyroidal extension |
| 15 | 20024 | YongTae Hong | Chonbuk National University Hospital | Korea | Phonetic comparison of voice in patients of total thyroidectomy with and without administration of recombinant human TSH (rhTSH). |
| 16 | 20025 | Gianlorenzo Dionigi | 1st Division of General Surgery, Research Center for Endocrine Surgery, Department of Surgical Sciences and Human Morphology, University of Insubria (Varese-Como), via Guicciardini 9, 21100 Varese, Italy | Italy | COST-EFFECTIVENESS ANALYSIS FOR RECURRENT LARYNGEAL NERVE MONITORING |
| 17 | 20026 | Gianlorenzo Dionigi | 1. 1st Division of General Surgery, Research Center for Endocrine Surgery, Department of Surgical Sciences and Human Morphology, University of Insubria (Varese-Como), via Guicciardini 9, 21100 Varese, Italy | Italy | TRANSORAL ENDOSCOPIC THYROIDECTOMY WITH STANDARDIZED NEURAL MONITORING |
| 18 | 20031 | Abhishek Mahajan | Tata Memorial Centre | India | Diagnostic Performance Of Thyroid Multimodal - Imaging Comprehensive Risk Stratification Scoring (TMC-RSS) System In Characterising Thyroid Nodules. |
| 19 | 20032 | YoungChan Lee | Department of Otorhinolaryngology - Head and Neck Surgery, School of Medicine, Kyung Hee University, Seoul, Korea | Korea | Occult lymph node metastasis and risk of regional recurrence in papillary thyroid cancer after bilateral prophylactic central neck dissection: a multi-institutional study |
| 20 | 20035 | Abhishek Mahajan | Tata Memorial Centre | India | CT based modified SHIN classification for grading trachea Invasion: Addressing the resectability issues in Thyroid cancer. |
| 21 | 20036 | Tatsuya Furukawa | Department of Otolaryngology-Head and Neck Surgery, Kobe University Graduate School of Medicine | Japan | A case of left non-recurrent inferior laryngeal nerve with right-sided aortic arch and aberrant left subclavian artery. |
| 22 | 20037 | Nobuyuki Bandoh | Department of Otolaryngology-Head and Neck Surgery, Hokuto Hospital | Japan | Targeted next-generation sequencing of thyroid carcinomas |
| 23 | 20039 | ChristineJoy G. Castillo | Jose R. Reyes Memorial Medical Center | Philippines | A Case Report on Parathyroid Carcinoma manifesting with Otitis Cystica Fibrosa |
| 24 | 20042 | Aysenur Meric | Bezmialem Vakif University, Faculty of Medicine, Department of Otorhinolaryngology | Turkey | The need for completion thyroidectomy in cases of differentiated thyroid cancer |
| 25 | 20043 | Junji Miyabe | Department of Otorhinolaryngology-Head and Neck Surgery, Osaka University Graduate School of Medicine | Japan | Tumor Heterogeneity Measured on FDG PET in Patients With Papillary Thyroid Carcinoma |

■ 2nd Congress of Asia-Pacific Society of Thyroid Surgery

Oral Presentation

| No. | Paper ID | Primary Author | Affiliation | Country | Abstract title |
|-----|----------|-------------------|--|-------------|--|
| 26 | 20046 | Akihito Arai | Kyoto prefectural university of medicine | Japan | Retrospective study of differentiated thyroid cancer treated with radioiodine therapy. |
| 27 | 20047 | Abdullah Al Mamun | JUNIOR CONSULTANT(ENT),20 BED HOSPITAL,SIDDIRGANJ,NARAYANGANJ,BANGLADESH | Bangladesh | To find out the incidence of malignancy in patient with STN. |
| 28 | 20050 | Anna F Lahoz | Philippine General Hospital | Philippines | Thyroglossal Duct Carcinoma With Concurrent Papillary Thyroid Carcinoma |
| 29 | 20051 | Akihito Watanabe | Keiyukai Sapporo Hospital | Japan | Avoidance of vocal cord paralysis during thyroid surgery in non-recurrent inferior laryngeal nerve cases |
| 30 | 20052 | Noriaki Aoi | Department of Otolaryngology, Shiman University, Faculty of Medicine | Japan | The Utility of Ultrasound Real-Time Tissue Elastography for Diagnosis of Thyroid Tumors |
| 31 | 20054 | ShuMeiEthel Chow | NUS Yong Loo Lin School of Medicine | Singapore | Combining 4-6 hour postoperative iPTH level with 24 hour calcium trend to predict Hypocalcemia for safe discharge in patient following Total/Completion Thyroidectomy. |
| 32 | 20055 | Yoshihiko Kumai | Department of Otolaryngology Head and Neck Surgery Kumamoto University Graduate School of Medicine | Japan | Comparison of vocal outcome following two different procedures for immediate RLN reconstruction. |
| 33 | 20057 | Eun-Jae Chung | Department of Otorhinolaryngology Head and Neck Surgery, Seoul National University Hospital | Korea | Long-term outcome analysis of recurrent/ persistent well differentiated thyroid cancer in SNUH |
| 34 | 20063 | Chisato Mogi | Kobe University, Graduate School of Medicine | Japan | Transoral resection of carcinoma arising in lingual thyroid. |
| 35 | 20065 | Hajime Ishinaga | Mie University Graduate School of Medicine | Japan | Surgical management of mediastinal goiter |
| 36 | 20073 | YongTae Hong | Chonbuk National University Hospital | Korea | Development of new diagnostic tool for thyroid cancer; Preliminary study. - Electrochemical impedance spectroscopy(EIS)- |
| 37 | 20076 | SATOSHI KOYAMA | Tottori University Faculty of Medicine | Japan | Immunohistochemical features of pure primary squamous cell carcinoma in the thyroid; autopsy case |
| 38 | 20077 | Kazunori Fujiwara | Tottori University | Japan | Ultrasound-guided transoral videolaryngoscopic surgery for retropharyngeal lymph node metastasis of papillary thyroid cancer |
| 39 | 20078 | Berk Goktepe | Ege University Hospital, Department of General Surgery, Division of Endocrine Surgery | Turkey | Residents' Perception to the Difficulty of Thyroid Operations |
| 40 | 20079 | Mehmet Gunduz | Department of Otolaryngology Wakayama Medical University | Japan | A case report of concurrent thyroid medullary and papillary carcinoma with neck metastasis of both types of carcinoma |
| 41 | 20080 | Muneyuki Masuda | Department of Head and Neck Surgery, National Kyushu Cancer Center | Japan | Salvage anterior mediastinal tracheostomy following intensive concurrent chemoradiotherapy |
| 42 | 20081 | Ozer Makay | Ege University | Turkey | Can Postoperative Laryngeal Examination be Neglected in Thyroid and Parathyroid Patients With No Loss of Signal After Intraoperative Neuromonitoring? |
| 43 | 20083 | Tomohito Fuke | Department of Otorhinolaryngology, Ise Red Cross Hospital | Japan | Surgical indication for chronic thyroiditis |
| 44 | 20084 | Koichiro Yonezawa | Hyogo Cancer Center | Japan | Vacuum-Assisted Closure Therapy in the Management of Mediastinitis Present After Median Sternotomy for Thyroid Carcinoma Invading the Mediastinum |
| 45 | 20090 | Naritomo Miyake | Department of Otolaryngology, Head and Neck Surgery, Faculty of Medicine, Tottori university | Japan | Clinical utility of fine-needle-aspiration cytology for anaplastic thyroid carcinoma |
| 46 | 20093 | Murat Ozdemir | Ege University Hospital, Department of General Surgery, Division of Endocrine Surgery | Turkey | Can the recovery of intraoperative vagus nerve amplitude after loss of signal predict normal vocal cord function? |
| 47 | 20097 | KaiPun Wong | The University of Hong Kong | Hong Kong | SUBCATEGORISATION: IMPROVED STRATIFICATION OF THYROID NODULE WITH CYTOLOGICAL RESULTS OF ATYPIA OF UNDETERMINED SIGNIFICANCE |
| 48 | 20098 | Chun Han | Zhejiang Cancer Hospital | China | MiR-148a targeting Ets-1 regulates the proliferation, apoptosis, invasion and migration through PI3K/Akt signaling pathway in papillary thyroid carcinoma |
| 49 | 20100 | Chun Han | Zhejiang Cancer Hospital | China | Synchronous Parathyroid Lesions and Papillary Thyroid Carcinoma: A Single-Center Experience |
| 50 | 20102 | Deepa Nair | Tata Memorial Centre | India | Clinicopathologic characteristics and survival outcomes in operable Poorly Differentiated Thyroid cancer(PDTC): results from a single institution |
| 51 | 20103 | KaiPun Wong | Department of Surgery, The University of Hong Kong | Hong Kong | Should thyroidectomy be done with other surgical procedure in same anesthesia? A propensity score-matched analysis. |
| 52 | 20105 | Ryusuke Hayashi | Department of Otolaryngology-Head and Neck Surgery, Asahikawa Medical University | Japan | Video-assisted total thyroidectomy for Graves' disease |
| 53 | 20107 | Hiroyuki Iwasaki | Kanagawa Cancer Center | Japan | Timing of tyrosine kinase inhibitor (TKI) treatment in stage IV-C differentiated thyroid carcinoma (DTC) |

■ 2nd Congress of Asia-Pacific Society of Thyroid Surgery

Oral Presentation

| No. | Paper ID | Primary Author | Affiliation | Country | Abstract title |
|-----|----------|----------------------|--|--------------------|--|
| 54 | 20108 | Hao Li | Otolaryngology, Tan Tock Seng Hospital, Singapore | Singapore | Predictors of A Malignant Diagnosis on Frozen Section for The Cytologically Atypical Thyroid Nodules |
| 55 | 20109 | JinWook Yi | Seoul National University Hospital | Korea | Transoral thyroid surgery for papillary thyroid carcinoma: initial experiences of a single surgeon in South Korea |
| 56 | 20110 | Sung-Chan Shin | Department of Otorhinolaryngology-Head and Neck Surgery, Biomedical Research Institute, Pusan National University School of Medicine, Pusan National University Hospital, Pusan, Republic of Korea | Korea | Feasibility and safety of nerve stimulator attached energy based device - a porcine model study |
| 57 | 20111 | Wilhema M. Villan | Maria Reyna - Xavier University Hospital Inc. | Philippines | Multiple Bone Metastases in Papillary Thyroid Carcinoma: A Case Report |
| 58 | 20112 | Shirley YW Liu | Chinese University of Hong Kong | Hong Kong | Near-infrared autofluorescence imaging of parathyroid glands during thyroid surgery |
| 59 | 20115 | Dawoon Jung | Department of Otorhinolaryngology-Head and Neck Surgery, Pusan National University | Korea | Right upper paraesophageal lymph node metastasis is a novel predictive factor for loco-regional recurrence in right-sided papillary thyroid carcinoma |
| 60 | 20117 | Sergey P. Shevchenko | Novosibirsk State University | Russian Federation | MicroRNA and Somatic Mutations in the Preoperative Diagnostic of Thyroid Nodules |
| 61 | 20118 | Yong Wang | Department of Thyroid Surgery, the Second Affiliated Hospital of ZheJiang University School of Medicine | China | Preliminary experience with transoral endoscopic thyroidectomy via vestibular approach: a report of 150 cases in a single center |
| 62 | 20119 | Xiaohong Chen | Department of Otolaryngology Head and Neck Surgery, Beijing Tongren Hospital, Capital Medical University Key Laboratory of Otolaryngology Head and Neck Surgery (Capital Medical University) | China | The synergistic effect of C634Y/V292M RET trans mutation within a multiple endocrine neoplasia type 2A(MEN2A) family |
| 63 | 20121 | hideyuki kawauchi | shimane university, faculty of medicine | Japan | G-CSF and/or EGFR expressions of anaplastic thyroid cancer cells -clinical implication- |
| 64 | 20122 | Oded Cohen | Department of Otolaryngology, Head and Neck surgery, Kaplan Medical Center | Israel | Surgeon Performed Thyroid Ultrasound - Proving Utility and Credibility in Selecting Patients for Fine Needle Aspiration According to the American Thyroid Association Guidelines |
| 65 | 20123 | nadi y yuksek | ankara numune training and research hospital | Turkey | A RETROSPECTIVE REVIEW: CLINICOPATHOLOGICAL FACTORS INCREASED THE RISK OF MALIGNANCY IN PATIENTS WITH ATYPIA OF UNDETERMINED SIGNIFICANCE (AUS) |
| 66 | 20125 | Neeti KapreGupta | Consultant Head and Neck Surgeon, Neeti Clinics Nagpur | India | Preliminary results of the IMPACCT study (Imaging, Pathological & Clinical Correlation in Thyroid)- Predictive Nomograms in Thyroid Cancer |
| 67 | 20126 | Fumihiko Matsumoto | National Cancer Center | Japan | Molecular biology of adolescents and young adults papillary thyroid carcinoma with multiple lung metastases |
| 68 | 20130 | Masanori Teshima | Department of Otolaryngology - Head and Neck Surgery, Kobe University Hospital | Japan | Parathyroid function after total thyroidectomy for thyroid carcinoma |
| 69 | 20135 | yunus nadi yuksek | ankara numune trainig and research hospital | Turkey | Evaluation of clinicopathologic factors of patients with follicular lesion of undetermined significance(FLUS) with fine needle aspiration biopsy made from thyroid nodules. |
| 70 | 20140 | Vidula Madan Kapre | Consultant Anaesthesiology | India | Awake thyroidectomy- Our rural India experience |
| 71 | 20141 | Taku Yamashita | Department of Otorhinolaryngology-Head and neck surgery, Kitasato University School of Medicine | Japan | A novel treatment strategy for anaplastic thyroid carcinoma using urokinase-type plasminogen activator-dependent oncolytic recombinant Sendai virus |
| 72 | 20142 | Akira Nakazono | Department of Otolaryngology-Head and Neck Surgery, Hokkaido University Graduate School of Medicine | Japan | Compress or not compress surgical site: retrospective analysis of post-thyroidectomy hematoma. |
| 73 | 20145 | Saima Taj | Jinnah Postgraduate Medical Center ,JPMC Karachi ,Pakistan | Pakistan | Incidence of Hypocalcaemia Following Total Thyroidectomy in Tertiary Endocrine Surgical Unit over a Decade. |
| 74 | 20157 | Masao Yagi | Otolaryngology, Head & Neck Surgery, Kansai medical university | Japan | 10 cases of Acute Spontaneous Intrathyroid Hemorrhage with Thyroid Pain |
| 75 | 20161 | Wai Keat Wong | Manukau SuperClinic | New Zealand | Retrosternal Goitres -Airway and Surgical Management issues- NZ Experience |
| 76 | 20164 | Pornpeera Jitpratoom | Division of Minimally Invasive and Endocrine Surgery Department of Surgery Police General Hospital | Thailand | Intraoperative Neuromonitoring in Transoral Endoscopic Thyroidectomy Vestibular Approach (TOETVA): Video Operative Technique |
| 77 | 20166 | Taro Sugimoto | Tokyo Metropolitan Cancer and Infectious Diseases Center Komagome Hospital, Department of Otolaryngology - Head and Neck Tumor Surgery | Japan | A case of neuroendocrine carcinoma of the thyroid gland |